=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10804921

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

PALM INTRANET

Day: Tuesday Date: 4/25/2006

Time: 11:28:17

Inventor Information for 10/804921

Inventor Name	City	State/Country
KAUFMAN, ROSS THOMAS	NEENAH	WISCONSIN
TOPOLKARAEV, VASILY ARAMOVICH	APPLETON	WISCONSIN
WIDEMAN, GREGORY JAMES	MENASHA	WISCONSIN
TANZER, RICHARD WARREN	NEENAH	WISCONSIN
Search Another: Application# Search	or Patent#	Search
Appln Info Contents Petition Info Atty/Agent	Info Continuity	Data Foreign Data
PCT / Search	or PG PUBS #	Search
Attorney Docket #	Search	
Bar Code # Sea	rch	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

US 7012116 B1	20060314	Blend compositions of an unmodified poly vinyl alcohol and a thermoplastic elastomer	525/57	428/411.1; 428/423.1; 428/446; 428/474.4; 428/480; 428/492; 428/500; 428/521; 428/522; 428/523; 524/503; 525/58	Schertz; David Michael et al.
US 6984439 B2	20060110	Responsive film with corrugated microlayers having improved properties	428/182	428/184; 428/212; 604/358; 604/375; 604/385.01	Topolkaraev; Vasily A.
US 6969378 B1	20051129	Biaxial stretch garment	604/385.22	604/378; 604/385.01; 604/385.16; 604/385.25; 604/385.3	Vukos; John Philip et al.
US 6933421 B2	20050823	Methods of making disposable products having humidity activated materials with shape-memory	604/361	252/194; 252/963; 524/921; 525/123; 525/50; 525/55; 525/58; 604/365; 604/371; 604/375; 604/378; 604/387	Topolkaraev; Vasily A. et al.
US 6905759 B2	20050614	Biodegradable films having enhanced ductility and breathability	428/220	428/212; 428/213; 428/216; 428/304.4	Topolkaraev; Vasily A. et al.
US 6896843 B2	20050524	Method of making a web which is extensible in at least one direction	264/555	156/167; 156/181; 156/229; 264/103; 264/168; 264/171.1; 264/172.15;	Topolkaraev; Vasily Aramovich et al.

•

				064/040	
				264/210.1;	
				264/211.12;	
				264/211.14;	
				264/211.2;	
				264/342RE	
US	20050419	Method of	264/555	156/167;	Topolkaraev;
6881375		forming a 3-		156/181;	Vasily
B2		dimensional fiber		264/103;	Aramovich
32		into a web		264/168;	et al.
				264/171.1;	
			:	264/172.15;	
				264/210.8;	
	. ,	,		264/211.12;	
				264/211.14;	
				264/211.2;	
				264/342RE	
110	20040014	Moisture-induced		428/446;	Johnson;
US	20040914	!		521/154;	Eric D. et al.
6790519		poly(ethylene		525/404	Elic D. et al.
B1		oxide) gel,		323/404	
		method of making			
		same and articles			
		using same			
US	20040810	Extruded poly	428/317.9	210/500.27;	Wang;
6773797		(ethylene oxide)		210/500.36;	James H. et
B1		and filler		428/220;	al.
		composites and		428/311.31;	
		films having		428/315.5;	
		enhanced ductility		428/325;	
		and breathability		428/330;	
				428/331;	
				428/338;	
				428/339	
US	20040504	Cloth-like	604/391	24/442;	Tanzer;
6730069		mechanical		604/385.23;	Richard
B2		fastener		604/390	Warren et al.
US	20040309	Absorbent	604/385.22	604/385.01;	Vukos; John
6702800		garment with		604/385.16;	Philip et al.
B1		transverse and		604/385.23;	1
		longitudinal		604/385.24;	
		stretch		604/385.28	
US	20040120	Absorbent article	604/380	604/367	Tanzer;
6680423	20010120	having reinforced	30 200		Richard
B1		elastic absorbent			Warren
DI DI					
TIC	20040112	3-dimensional	428/370	428/373;	Topolkaraev;
US	20040113	1	420/3/0	428/374	Vasily
6677038		fiber and a web		420/3/4	v asiry

B1		made therefrom			Aramovich
				50.4/5.55	et al.
US	20031216	Disposable	604/361	604/365;	Topolkaraev;
6664436		products having		604/368;	Vasily A. et
B2		humidity		604/370;	al.
		activated		604/375;	
		materials with		604/378;	
		shape-memory		604/387	
US	20031209	Methods of	264/444	264/101;	Topolkaraev;
6660211		making		264/129;	Vasily A. et
B2		biodegradable		264/176.1;	al.
		films having		264/210.1;	
		enhanced ductility		264/210.4;	
		and breathability		264/235.6;	
				264/28;	
				264/343;	
				264/473;	
				264/474;	
				264/475;	
				264/477	
US	20030930	Methods of	522/111	264/232;	Topolkaraev;
l	20030930	making humidity	322/111	264/485;	Vasily A. et
6627673		activated		264/488;	al.
B2				522/112;	41.
		materials having		522/112,	
		shape-memory		1	
				522/150;	
				522/151;	
				522/152;	
				522/153;	
				522/154;	
				522/155;	
				522/156;	
				522/157;	
				522/158;	
				522/159;	
				522/161;	
				522/906;	
				524/921;	
				525/123;	
				525/50;	
				525/55;	
				525/58;	
				525/66	
US	20030826	Absorbent article	604/368	604/385.16	Tanzer;
6610900	20030020	having			Richard
i		superabsorbent in			Warren
B1		superabsorbent in	<u> </u>	<u> </u>	warren

		discrete pockets on a stretchable substrate			
US 6610793 B1	20030826	Modified poly(ethylene oxide), method of making same and articles using same	525/404	525/408; 525/409	Soerens; Dave A. et al.
US 6607819 B2	20030819	Polymer/dispersed modifier compositions	428/323	428/220; 428/292.1; 428/327; 428/332; 428/372; 428/390	Wang; James H. et al.
US 6592995 B2	20030715	Humidity activated materials having shape-memory	428/423.1	428/411.1; 428/422.8; 428/423.3; 428/423.5; 428/423.7; 428/423.9; 428/474.4; 428/478.2; 428/492; 428/500; 428/543; 428/913	Topolkaraev; Vasily A. et al.
US 6586354 B1	20030701	Microlayer breathable hybrid films of degradable polymers and thermoplastic elastomers	442/394	428/333; 428/913; 442/398; 442/399	Topolkaraev; Vasily A. et al.
US 6570056 B1	20030527	Absorbent article having zoned directional stretching	604/368	604/385.16; 604/385.22	Tanzer; Richard Warren et al.
US 6533987 B2	20030318	Methods of making materials having shape- memory	264/442	264/288.4; 264/290.2; 264/479; 264/488; 264/489	Topolkaraev; Vasily A. et al.
US 6515075 B1	20030204	Films, fibers and articles of chemically	525/221	428/332; 428/338; 428/339;	Balogh; Bridget A. et al.□

.

		modified polyethylene oxide compositions with improved environmental		525/231; 525/238; 525/241	
		stability and method of making same			
US 6509419 B1	20030121	Chemically modified polyethylene oxide compositions with improved environmental stability	525/221	428/332; 428/338; 428/339; 525/231; 525/238; 525/241	Balogh; Bridget A. et al.
US 6492452 B1	20021210	Poly(ethylene oxide) and organically modified clay compositions having reduced melt viscosity and improved stability to aqueous fluids	524/445	524/442; 524/447; 524/448; 524/449; 524/450; 524/451	Topolkaraev; Vasily A. et al.
US 6451895 B1	20020917	One step process for making breathable, clay filled polymer compositions having controlled stability in contact with aqueous fluids	524/445	501/141; 501/145; 501/148; 977/773; 977/775; 977/788; 977/835	Topolkaraev; Vasily A. et al.
US 6429350 B1	20020806	Absorbent article having superabsorbent pockets in a non-absorbent carrier layer	604/368	604/367	Tanzer; Richard Warren et al.
US 6419798 B1	20020716	Methods of making disposable products having materials having	204/157.15	604/367	Topolkaraev; Vasily A. et al.

•

٠

		shape-memory			
US	20020611	Methods of	525/61	525/404;	Wang;
6403706		making		525/71	James H. et
B1		polymer/dispersed			al.
. .		modifier			
		compositions			
US	20020312	Methods of	428/364	264/176.1;	Schertz;
6355347	20020312	making blend		264/185;	David
B1		compositions of		264/211.21;	Michael et
D 1		an unmodified		264/211.22;	al.
		polyvinyl alcohol		264/211.23;	
		and metallocene	•	428/357;	
	,	polyolefin or a		428/401;	
		grafted	-	428/411.1;	
		metallocene		525/56;	
		polyolefin	;	525/57;	
		polyorom		525/59;	
				525/64	
US	20020226	Methods of	428/364	264/176.1;	Schertz;
6350518		making blend		264/185;	David
Bl		compositions of		264/211.21;	Michael et
		an unmodified		264/211.22;	al.
		poly vinyl alcohol		264/211.23;	
		and a		428/357;	
		thermoplastic		428/401;	
		elastomer		428/411.1;	
		-		525/56;	
				525/57;	
				525/59;	
				525/64	
US	20020219	Breathable film	428/317.9	524/430;	Topolkaraev;
6348258		having organic		524/503;	Vasily
B1		filler		524/505;	Aramovich
				524/507;	et al.
				524/512;	
				524/513;	
				524/514;	
				524/520	
US	20011211	Absorbent	604/378	442/334;	Dutkiewicz;
6329565		structure and		442/352;	Jacek K. et
B1		method		604/385.01	al
US	20010918	Absorbent article	604/385.01	604/358;	Tanzer;
6290686		having imbricated		604/359;	Richard
B1		superabsorbent		604/367;	Warren
		tiles on a substrate		604/385.23	<u> </u>
US	20010731	Poly(ethylene	428/304.4	428/113;	Topolkaraev;

6268048		oxide) films		428/402;	Vasily A. et
B1		comprising		428/634;	al.
		unmodified clay		521/50	
		particles and		•	
		having enhanced			
		breathability and			
	:	unique			j
		microstructure			
US	20010717	Breathable	428/218	428/315.5;	Branham;
6261674		microlayer		428/316.6;	Kelly Dean
B1		polymer film and		442/370;	et al.
		articles including		442/372;	
		same		442/374;	
				442/375	
US	20010508	Compositions and	524/377	524/378;	Topolkaraev;
6228920		process for		524/43;	Vasily et al.
Bl		making water		524/47;	
		soluble		524/502;	
		polyethylene		524/503;	
		oxide films with		524/514;	
		enhanced		524/515;	
		toughness and		524/516; 524/517;	
		improved melt		524/517,	
		rheology and tear resistance		524/521;	
		resistance		524/523;	
				524/524;	
				524/525;	
				524/575;	
				977/773;	
				977/779;	
				977/902	
US	20001010	Extensible	604/385.16	604/358;	Blenke;
6129720		absorbent article		604/367;	Timothy
Α		including an		604/385.01;	James et al.
		extensible		604/385.22;	
		absorbent pad		604/385.24;	
		layer		604/385.27	
US	20000912	Water degradable	424/404	424/400;	Topolkaraev;
6117438		microlayer		424/443	Vasily et al.
A		polymer film and			
		articles including			
		same		-	TT CC
US	20000801	Stable and	604/367	264/41;	Haffner;
6096014		breathable films		521/92	William B.
A		of improved	1	<u></u>	et al.

		toughness and method of making			
		the same			
US 6071450 A	20000606	Method for making water degradable polymer microlayer film	264/173.12	264/173.14; 264/173.15; 264/173.16; 264/173.19; 264/290.2	Topolkaraev; Vasily et al.
US 5968643 A	19991019	Microporous film with improved properties	428/305.5	428/315.7; 428/317.9; 521/142; 521/76; 521/905; 521/911	Topolkaraev; Vasily Aramovich et al.
US 5947947 A	19990907	Absorbent article with body contacting liquid control member	604/385.101	604/378	Tanzer; Richard Warren et al.
US 5853403 A	19981229	Absorbent article with body contacting liquid control member	604/385.09	604/378; 604/385.19	Tanzer; Richard Warren et al.
US 5800758 A	19980901	Process for making microporous films with improved properties	264/154	264/288.8; 264/289.6; 264/290.2; 264/346; 264/348	Topolkaraev; Vasily Aramovich et al.
US 5782819 A	19980721	Article with stay- in-place feature	604/385.04	2/337; 604/387; 604/396	Tanzer; Richard Warren et al.
US 5766760 A	19980616	Microporous fibers with improved properties	428/376	428/372; 428/397; 428/400	Tsai; Fu-Jya et al.
US 5762840 A	19980609	Process for making microporous fibers with improved properties	264/41	264/129; 264/154; 264/210.4; 264/210.5; 264/210.6; 264/210.8; 264/235.6; 264/288.8; 264/289.6; 264/290.5; 264/346;	Tsai; Fu-Jya et al.

				28/220; 28/240; 425/445; 425/66; 425/71; 425/90; 425/93	
US 5593399 A	19970114	Absorbent article which includes superabsorbent material located in discrete, elongate pockets placed in selected patterns	604/368	604/358; 604/372; 604/378; 604/385.21	Tanzer; Richard W. et al.
US 5562645 A	19961008	Article with soft absorbent pulp sheet	604/367	604/358; 604/365; 604/368; 604/372; 604/378	Tanzer; Richard W. et al.
US 5433715 A	19950718	Absorbent article which includes superabsorbent material located in discrete pockets having watersensitive and water-insensitive containment structures	604/368	604/358; 604/367; 604/372; 604/378; 604/385.19	Tanzer; Richard W. et al.□
US 5425725 A	19950620	Absorbent article which includes superabsorbent material and hydrophilic fibers located in discrete pockets	604/368	604/358; 604/367; 604/372; 604/378; 604/385.01	Tanzer; Richard W. et al.
US 5411497 A	19950502	Absorbent article which includes superabsorbent material located in discrete pockets having an improved containment structure	604/368	604/358; 604/367; 604/372; 604/378	Tanzer; Richard W et al.
US	19941115	Absorbent article	604/359	604/358;	Tanzer;

5364380		containing an		604/360;	Richard W.
A		anhydrous deodorant		604/367	et al.
US 5342333 A	19940830	Absorbent article containing an anhydrous deodorant	604/359	604/358	Tanzer; Richard W. et al.
US 5122407 A	19920616	Odor-removing cover for absorbent pads and method of making same	428/138	428/198; 428/421; 428/74; 442/121; 442/76; 604/359	Yeo; Richard S. et al.
US 5037412 A	19910806	Absorbent article containing an anhydrous deodorant	604/359		Tanzer; Richard W. et al.